


SB-3722

2x1:8 Scart Distribution Amplifier

Input : 2x Scart
Output : 8x Scart


SCART AUDIO AMPLIFIER



INTRODUCTION

The SB-3722 is one of the most innovative SCART signal switch and distribution product. The SB-3722 Support 2 SCART sources inputs switch to 8 SCART TV or SCART display outputs distribution amplifier. SCART support signals included of RGB S-Video (Y/C), Composite Video and Stereo Audio (AR/AL) This product provides 8 SCART outputs that are identical to the source signal. It is suitable for distributing signals from full HD HDTV, Resolutions for 480i, 480p, 576p, 720p, 1080i and 1080p. Also the VCRs, Camcoders, Video Game Consoles Video CD s, DVDs, Satellite Receivers, CATV Set Top Boxes, DVB/T....etc.

DIAGRAM TYPICAL



FEATURES

01. Support SCART 2 inputs switch to 8 outputs Distribution Amplifier
02. Input :2x SCART (RGB, S-Video, Composite Video and Stereo Audio)
Outputs:8x SCART (RGB, S-Video, Composite Video and Stereo Audio)
03. SCART Group input/output Signals included
 - RGB
 - S-Video (Y/C)
 - Composite Video
 - Audio: Stereo Audio (AR, AL)
04. Refresh: for HDTV 480i, 480p, 576p, 720p, 1080i, 1080p
05. Auto Scan 16:9 and 4:3 Screen Line vision
06. Power on status with LED display on power switch
07. Power Supply for 100~230VAC, 12VDC Universal Type switch

SPECIFICATIONS

Type of Switcher	2 in To 8 out SCART Switcher-Distribution Amplifier
Type of Signal	SCART (RGB, S-Video, Composite Video and Stereo Audio)
Video Bandwidth	380 MHz (13dB), 200 mVp-p
High Speed and fast settling	on 5V
HDTV	480i, 480p, 576p, 720p, 1080i, 1080p
Low all hostile crosstalk	-83dB @5Mhz
Scan Rates Accepted	50Hz or 60Hz
Monitor screen	Auto Scan 16:9 or 4:3
Lower power consumed	consumed full load under 650/400mA
Controls	power switch with LED readout
Safety approvals	CE, FCC
Dimension (WxDxH)	9.44" x 5.70" x 1.06" (240mm x 145mm x 27mm)
Weight	0.8 kg / 1.76 lb
Power Supply	DC 12V, @1A (World Wide Universal AC 100~240V 50/60Hz)