SHINYBOW

SB-5440BNC

8x1 Composite Video (BNC) Switcher

Input : 8x Composite Video (BNC)
Output : 1x Composite Video (BNC)






INTRODUCTION

SB-5440BNC is a 8 inputs to 1 output Composite Video Router Switcher via BNC connector. The video use Bandwidth 100MHz product. It's one of the most innovative Composite Video Routing Switcher product on the market today. It has 8 individual inputs with 1 individual output. Because it is a Router Switcher, so any inputs may be routed to any one output. It completely eliminates the need to constantly move around Composite Video input and output cables. This switcher is ideally suited for TV for the resolution of 480p, 720p. Control is provided via front selections push buttons with LED readout or IR remote controller.

DIAGRAM TYPICAL



FEATURES

- 01. Support 8 Inputs to 1 Output Composite Video (BNC) Router Switcher
- 02. Support switch signal Composite Video via 8x BNC Connectors
- 03. Video Bandwidth : 100MHz (-3dB)
- 04. Infrared: IR Remote Control via Frequency (38KHz)
- 05. Suitable for full HD high resolution Video player device and HDTV, LCD TV, Plasma TV, HD monitor displays
- 06. Controls by Front panel selection pushbuttons with LED readout and IR Remote Controller $\label{eq:lemons} % \begin{center} \end{center} % \begin{cent$
- 07. Support Lower power consumed full load under 450 mA
- 08. Power supply offer a universal type 100 \sim 240 VAC switch

SPECIFICATIONS	
Type of switcher	8 inputs to 1 output Router Switcher
Type of Signals	Composite Video via 8x BNC Female Connector
Video Bandwidth	100MHz, (-3dB)
All Hostile Crosstalk	-56dB @ 5MHz, -45dB @ 50MHz
Scan Rates Accepted	50Hz or 60Hz
IR Infrared Frequency	38 KHz
Controls	Direct selection via front panel pushbuttons with LED readout or IR Remote Controller
Safety Approvals	CE, FCC, VCCI
Dimension (WxDxH)	6.88" x 3.14" x 0.98" (175mm x 80mm x 25mm)
Weight	0.7 kg / 1.54 lb
Power Supply	DC 12V, @0.3A (World Wide Universal AC 100~240V 50/60Hz)